

ADVERTISEMENT FOR BID:

Sealed bids will be received at the Office of the Clerk of the Board of Tuscarawas County Commissioners, 125 East High Avenue, New Philadelphia, OH 44663 until 9:45 am, on June 17, 2010 for the supply of Smooth Lined Corrugated Polyethylene Pipe. Specifications and bid forms are on file in the office of the Tuscarawas County Engineer, 832 Front Avenue SW, New Philadelphia, OH 44663 or on our website at <http://www.co.tuscarawas.oh.us/Engineer/Projects.htm>.

Bids to be submitted in a sealed envelope marked " Polyethylene Pipe Bid" and submitted to the Tuscarawas County Commissioners prior to the bid opening date and time.

The Commissioners have the right to reject any or all bids and to waive any informalities or irregularities in the bids received.

BY ORDER OF THE TUSCARAWAS COUNTY COMMISSIONERS:

KERRY METZGER
CHRIS ABBUHL
JIM SELDENRIGHT

ATTEST: Jane E. Clay, Clerk

Publish: The Times Reporter on JUNE 2, 2010
<http://www.co.tuscarawas.oh.us/Engineer/Projects.htm>

SPECIFICATIONS FOR
SMOOTH LINED CORRUGATED POLYETHYLENE PIPE

FOR: Tuscarawas County Road and Bridge Department

Bids will be received on Smooth Lined interior with Annular Corrugated Exterior Polyethylene Pipe as outlined on the attached bid sheet.

Pipe Requirements

Pipe shall be manufactured with virgin materials only and have a smooth interior with annular exterior corrugations. Supplier to include and furnish sufficient joint lubricant, approved by the manufacturer, for the quantity of pipe ordered.

12" thru 60" Pipe shall meet AASHTO M294, Type S

Joint Performance

Pipe shall have a reinforced bell with a polymer composite band and bell tolerance device, and meet the requirements of AASHTO M294.

Joints shall be watertight according to the requirements of ASTM D 3212. Gaskets shall meet the requirements of ASTM F 477. Gaskets shall be installed by the manufacturer and covered with removable, protective wrap to ensure gaskets are free from debris. To assure water tightness, field performance verification testing in accordance with ASTM F 2487 may be performed.

Certification

Bidders shall include with their bid, manufacturers proof of conformance with AASHTO and ASTM specifications listed in this specification.

The bid price submitted will be for the one (1) time purchase of all pipe listed. All pipe listed is to be shipped within 10 days of notification of bid award.

Award will be to a single supplier with the low **Total** amount bid for all pipe.

All bids must be for F.O.B. Tuscarawas County Garage, 832 Front Avenue SW, New Philadelphia, Ohio 44663.

All pipe must meet the approval of the Tuscarawas County Engineer and/or authorized personnel.

Bids must be submitted in a sealed envelope marked "Polyethylene Pipe Bid" to the Tuscarawas County Commissioners' Office at 125 East High Avenue, New Philadelphia, Ohio 44663, prior to bid opening.

**Polyethylene Pipe Bid
June 2010**

Quantity	Unit	Description	Unit Price	Total Price
1,000	lf	15" diameter pipe		
1,000	lf	18" diameter pipe		
600	lf	24" diameter pipe		
200	lf	30" diameter pipe		
200	lf	36" diameter pipe		
200	lf	42" diameter pipe		
200	lf	48" diameter pipe		

Total Bid \$ _____

Company or Corporation

Address

Signature and Title

Date

Phone Number and E-mail Address

Federal Tax Identification Number